# DESIGN AND IMPLEMENTATION OF A VERSATILE UNIVERSAL CONVERTER

Tejas Asole<sup>1</sup>, Rahul Karsal<sup>2</sup>, Vishal Kanakdande<sup>3</sup>, Rikhil Mate<sup>4</sup>

<sup>1</sup>Dr. Rajesh Surjuse

Government college of Engineering Nagpur, Nagpur, India, 441108 Received on: xxxx,20xx, Revised on: xxxx,20xx, Published on: xxxx,20xx

Abstract – The conversion, control, and conditioning of electrical power are the focus of the electrical engineering discipline known as power electronics. The universal converter, which facilitates effective electrical energy transfer between various electrical system types, is one of the crucial parts of power electronics. The many types of universal converters, the requirements, design process, performance analysis, and applications are all covered in detail in this paper's complete study of the design and execution of a universal converter. All types of power conversions are included in a universal converter. Step-up and step-down conversions are also mentioned, as well as universal conversions such as rectifier (also known as AC-DC), inverter (also known as DC-AC), DC-DC converter, and AC-AC operations.

## Keywords- AC-DC, DC-AC, DC-DC, AC-AC, Rectifier, Inverter, Step-up, Step-down.

# Introduction

The effective conversion and conditioning of electrical power is required for a wide range of applications, making power electronics a crucial component of electrical engineering. A vital part of power electronics, the universal converter permits the transfer of electrical energy between various electrical systems. Efficiency, power density, reliability, and cost all to be carefully taken into account while designing and implementing a flexible universal converter. The many types of universal converters, the design process, performance analysis, and applications are all covered in detail in this thesis' thorough investigation of the design and execution of a universal converter. The universal converter is an essential part of power electronics because it makes it easier to move electrical energy between various electrical systems. Efficiency, power density, reliability, and cost must all be carefully taken into account while

designing and implementing a universal converter. The many types of universal converters, requirements, design methodology, performance analysis, and applications are all covered in detail in this paper's in-depth investigation of the design and execution of a universal converter.

#### System Design

A microcontroller, inductor, MOSFET's, capacitor, diode, PCB make up the entire proposed system. Six MOSFET's are used for performing desired operation, which are DC supply operations and AC supply operations. The microcontroller, resistances, capacitor, diodes are mounted on the PCB board. The microcontroller collects the input and determines which type of is given and process the data and sends the input supply towards the MOSFET's for output. Depending upon the input source and requirements we can obtain AC or DC output. We can obtain the output at the MOSFET end. The system's circuit diagram in mentioned in fig.1.



# **Circuit Diagram**

# Simulation

Simulation is designed and performed in PROTEUS.



Simulation Result



3.1 DC-AC Mode



3.2 DC-DC Boost Mode Graph



3.3 DC-DC Buck Mode Graph



3.4 AC-DC Mode Graph

Fig 3: Simulation Graphs of Proposed Model

HARDWARE IMPLEMENTATION

Fig 4 Universal Converter Proposed Model

# HARDWARE RESULTS







Figure 4.12 Hardware Experimental

#### Result

Upon providing the input we can get the desired output from the MOSFET'S end. Different connections give different output. Also, power supply source is also one the important deciding factor for the obtained output. Hence a universal converter can be created and used to satisfy the demands of high efficiency, power density, dependability, and affordability. The converter's performance analysis demonstrates that it can handle large power levels and work effectively over a variety of input and output voltages and frequencies.

### CONCLUSION

It is a challenging task to design and implement a universal converter for power electronics applications, and various criteria, such as efficiency, power density, reliability, and cost-effectiveness, must be carefully taken into account. The many types of universal converters, the design process, performance analysis, and applications are all covered in detail in this thesis' thorough investigation of the design and execution of a universal converter. The study's findings demonstrate that the universal converter can be created and used.

#### REFERENCES

1. K. Suresh and P. E., "Design and Implementation of Universal Converter Conception et implémentation d'un convertisseur universel," in IEEE Canadian Journal of Electrical and Computer Engineering, vol. 45, no. 3, pp. 272-278.

2. K. Kim, H. Cha, S. Park and I. Lee, "A Modified Series-Capacitor High Conversion Ratio DC–DC Converter Eliminating Start-Up Voltage Stress Problem," in IEEE Transactions on Power Electronics, vol. 33, no. 1, pp. 8-12, Jan. 2018.

3. F. Su and W. Ki, "Component-Efficient Multiphase Switched-Capacitor DC–DC Converter With Configureurable Conversion Ratios for LCD Driver Applications," in IEEE Transactions on Circuits and Systems II: Express Briefs, vol. 55, no. 8, pp. 753-757, Aug. 2008.

4. J. Li, J. Xu, L. Qi and R. Burgos, "Fault tolerant operation of 5L-ANPC converter," IECON 2014 - 40th Annual Conference of the IEEE Industrial Electronics Society, 2014, pp. 4464-4470.

5. W. Wu, H. Wang, Y. Liu, M. Huang and F. Blaabjerg, "A Dual-Buck-Boost AC/DC Converter for DC Nanogrid With Three Terminal Outputs," in IEEE Transactions on Industrial Electronics, vol. 64, no. 1, pp. 295-299, Jan. 2017.

6. F. Luo and D. Ma, "An Integrated Switching DC–DC Converter With DualMode Pulse-Train/PWM Control," in IEEE Transactions on Circuits and Systems II: Express Briefs, vol. 56, no. 2, pp. 152-156, Feb. 2009.

7. Y. Shrivastava, S. Y. Hui, S. Sathiakumar, H. Shu-Hung Chung and K. K. Tse, "Harmonic analysis of nondeterministic switching methods for DC-DC power converters," in IEEE Transactions on Circuits and Systems I: Fundamental Theory and Applications, vol. 47, no. 6, pp. 868-884, June 2000.

8. S. Zhang and X. Yu, "A Unified Analytical Modeling of the Interleaved Pulse Width Modulation (PWM) DC-DC Converter and Its Applications," in IEEE Transactions on Power Electronics, vol. 28, no. 11, pp. 5147-5158, Nov. 2013.

9. B. Bryant and M. K. Kazimierczuk, "Open-loop power-stage transfer functions relevant to current-mode control of boost PWM converter operating in CCM," in IEEE Transactions on Circuits and Systems I: Regular Papers, vol. 52, no. 10, pp. 2158-2164, Oct. 2005.

10. Siew-Chong Tan, Y. M. Lai and C. K. Tse, "A unified approach to the design of PWM-based sliding-mode voltage controllers for basic DC-DC converters in continuous conduction mode," in IEEE Transactions on Circuits and Systems I: Regular Papers, vol. 53, no. 8, pp. 1816-1827, Aug. 2006.

11. Y. Chen, S. Shiu and R. Liang, "Analysis and Design of a Zero-Voltage Switching and Zero-Current-Switching Interleaved Boost Converter," in IEEE Transactions on Power Electronics, vol. 27, no. 1, pp. 161-173, Jan. 2012.

12. M. Aamir, S. Mekhilef and H. Kim, "High-Gain Zero-Voltage Switching Bidirectional Converter With a Reduced Number of Switches," in IEEE Transactions on Circuits and Systems II: Express Briefs, vol. 62, no. 8, pp. 816-820, Aug. 2015.

13. P. Dost and C. Sourkounis, "On Influence of Non Deterministic Modulation Schemes on a Drive Train System With a PMSM Within an Electric Vehicle," in IEEE Transactions on Industry Applications, vol. 52, no. 4, pp. 3388-3397, July-Aug. 2016.

14. Chien-Ming Wang, "Novel zero-Voltage-transition PWM DC-DC converters," in IEEE Transactions on Industrial Electronics, vol. 53, no. 1, pp. 254-262, Feb. 2006.

15. F. Zhang and Y. Yan, "Novel Forward–Flyback Hybrid Bidirectional DC– DC Converter," in IEEE Transactions on Industrial Electronics, vol. 56, no. 5, pp. 1578-1584, May 2009.

16. H. Dong, X. Xie, L. Jiang, Z. Jin and X. Zhao, "An Electrolytic CapacitorLess High Power Factor LED Driver Based on a "One-and-a-Half Stage" Forward-Flyback Topology," in IEEE Transactions on Power Electronics, vol. 33, no. 2, pp. 1572-1584, Feb. 2018.

17. Dong-Yun Lee, Byoung-Kuk Lee, Sang-Bong Yoo and Dong-Seok Hyun, "An improved full-bridge zero-voltage-transition PWM DC/DC converter with zero-voltage/zero-current switching of the auxiliary switches," in IEEE Transactions on Industry Applications, vol. 36, no. 2, pp. 558-566, MarchApril 2000. 18. P. Pandi, M. Subbarao and S. K., "HBC-Based 3Ø System for Wide Range of Power Conversion," in IEEE Canadian Journal of Electrical and Computer Engineering, vol. 44, no. 3, pp. 321-328, Summer 2021

19 S. Choi, V. G. Agelidis, J. Yang, D. Coutellier and P. Marabeas, "Analysis, design and experimental results of a floating-output interleaved-input boostderived DC-DC high-gain transformer-less converter," in IET Power Electronics, vol. 4, no. 1, pp. 168-180, January 2011.

20. W. Wu, H. Wang, Y. Liu, M. Huang and F. Blaabjerg, "A Dual-Buck-Boost AC/DC Converter for DC Nanogrid With Three Terminal Outputs," in IEEE Transactions on Industrial Electronics, vol. 64, no. 1, pp. 295-299, Jan. 2017.

21. T. T. Song, N. Huang and A. Ioinovici, "A Zero-Voltage and Zero-Current Switching Three-Level DC–DC Converter With Reduced Rectifier Voltage Stress and Soft-Switching-Oriented Optimized Design," in IEEE Transactions on Power Electronics, vol. 21, no. 5, pp. 1204-1212, Sept. 2006.